

### SAFETY DATA SHEET

Issuing Date	15-Dec-2014		Revision Date	27-Oct-201	5	<b>Revision Number</b> 1
1.	IDENTIFICATIO	ON OF THE	SUBSTANCE/PRI	EPARATION A	ND THE CO	MPANY/UNDERTAKING
GHS Product Ider Product Name:	ntifier	White Pr	emium One Coat 1	00% Acrylic Ba	rn and Fence	Paint
<u>Other Means of Ic</u> Product Code(s): Synonyms		<b>H7425, H</b> None	17421			
<u>Recommended U</u> Recommended U Uses Advised Ag	se:	No Inforr	ictions on Use nation Available nation Available			
Supplier's Details Manufacturer Add ThorWorks Industr 2520 S. Campbell Sandusky, OH 448 www.sealbest.com 1-800-326-1994	<b>dress</b> ies, Inc. St. 370					
Emergency Telep	hone Number		Chemtrec 1-800-42	24-9300		
			2. HAZARDS	IDENTIFICAT	ION	
<u>Classification</u> This product is	considered hazar	dous accordir	g to the OSHA Haza	ard Communicati	on Standard 2	2012 (29 CFR 1910.1200).
Acute Oral Toxic	ity				Category 4	
GHS Label Eleme	ents, Including P	recautionary	Statements			
			Emerge	ncy Overview		
Signal Word • Harmful if s		Warning		-		
$\langle \mathbf{\hat{t}} \rangle$						
Appearance: W	/hite		Physical State:	Liquid		Odor: Mild
Precautionary Sta Prevent	ion • Wa		s, and any exposed or smoke when usir		after handling.	

General Advice

Storage Disposal

• None • Dispose of contents/container to an approved waste disposal plant.

• If SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell.

Hazard Not Otherwise Classified (HNOC) Not applicable

None

• Rinse mouth

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Proprietary Polymer	Proprietary	10-50	*
Calcium Carbonate	1317-65-3	10-30	*
Titanium Dioxide	13463-67-7	0-10	*
Thickener	Mixture	0-5	*
Ethylene Glycol	107-21-1	0-5	*

\*The exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### **Description of Necessary First-Aid Measures**

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a
	physician.
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic
	reactions, see a physician.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

#### Most Important Symptoms/Effects, Acute and Delayed Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Carbon Dioxide (CO<sub>2</sub>). Dry Chemical. Foam. Water Spray. Water Fog.

#### Unsuitable Extinguishing Media None

#### Specific Hazards Arising from the Chemical

No information available

#### <u>Explosion Data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None None

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protective equipment.

•

Environmental Precautions Environmental Precautions:

Methods for Cleaning Up:

See Section 12 for additional Ecological Information. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

#### Methods and Materials for Containment and Cleaning Up Methods for Containment: Prevent further leaka

Prevent further leakage or spillage if safe to do so. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

#### Precautions for Safe Handling Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.

## Conditions for Safe Storage, Including Any Incompatibilities Storage: Keep container tightly closed

Incompatible Products:

Strong oxidizing agents. Strong Bases.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate 1317-65-3	-	TWA: 15 mg/m³ TWA: 5 mg/m³ (vacated) TWA: 15 mg/m³	TWA: 5 mg/m³ respirable dust TWA 10 mg/m³ total dust
		(vacated) TWA: 5 mg/m <sup>3</sup>	
Ethylene Glycol	Ceiling: 100 mg/m <sup>3</sup> aerosol	(vacated) Ceiling: 50 ppm	_
107-21-1	only	(vacated) Ceiling: 125 mg/m <sup>3</sup>	

## Appropriate Engineering Controls Engineering Measures:

Showers
Eyewash Stations
Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment					
Eye/Face Protection:	If splashes are likely to occur, wear: Safety glasses with side shields.				
Skin and Body Protection:	Impervious gloves.				
Respiratory Protection:	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.				
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice.				
	9. PHYSICAL AND CHEMICAL PROPERTIES				

Information on Basic Physical and Cl Physical State: Liquid Odor: Mild	hemical Properties	Appearance: Odor Threshold:	White No Information Available
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit Lower flammability limit Vapor Pressure Vapor Density Specific Density Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water	Values No data available No data available 100° C No data available No data available		s/Method own own own own own own own own own own
Autoignition Temperature Decomposition Temperature Viscosity Flammable Properties Explosive Properties Oxidizing Properties VOC Content	No data available No data available No data available Not Flammable No data available No data available No data available	None kn None kn None kn	own

### **10. STABILITY AND REACTIVITY**

Reactivity:	No data available
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	None under normal processing.
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to Avoid:	Incompatible products.
Incompatible Materials:	Strong oxidizing agents. Strong bases.
Hazardous Decomposition Products:	Carbon Monoxide (CO), Carbon Dioxide (CO <sup>2</sup> ), and unburned hydrocarbons (smoke)
•	

### **11. TOXICOLOGICAL INFORMATION**

### Information on Likely Routes of Exposure Product Information

Inhalation:
Eye Contact:
Skin Contact:
Ingestion:

May cause irritation of respiratory tract. Contact with eyes may cause irritation. May cause irritation. Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Ethylene Glycol	4000 mg/kg (Rat)	9530 µL/kg (Rabbit)	-

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms:

No information available.

#### Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization:	No information available.
Mutagenic Effects:	No information available.
Carcinogenicity:	No Information available.
Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

### **12. ECOLOGICAL INFORMATION**

<u>Ecotoxicity</u> The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethylene Glycol 107-21-1	EC50 96h: 6500-13000 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: 14-18 mL/L static (Oncorhynchus mykiss) LC50 96 h: 40000-60000 mg/L static (Pimephales promelas) LC50 96 h: = 16000 mg/L static (Poecilia reticulata) LC50 96 h: = 27540 mg/L static (Lepomis macrochirus) LC50 96 h: = 40761 mg/L static (Oncorhynchus mykiss) LC50 96 h: = 41000 mgL static (Oncorhynchus mykiss)	EC50 = 10000 mg/L 16h EC50 = 620 mg/L 30 min. EC50 = 620.0 mg/L 30 min.	EC50 48h: = 46300 mg/L (Daphnia magna)

Persistence and Degradability:

No information available.

Bioaccumulation

Chemical Name	Log Pow
Ethylene Glycol	-1.93

#### Other Adverse Effects:

No information available.

	13. DISPOSAL CONSIDERATIONS
Waste Disposal Methods:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional or local regulations for additional requirements.
Contaminated Packaging:	Do not re-use empty containers.
	14. TRANSPORTATION INFORMATION
DOT:	Not regulated
DOT:	Not regulated

#### International Inventories TSCA – Complies

DSL/NDSL – Complies

#### Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Ethylene Glycol	107-21-1	0-5	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### Clean Water Act

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ethylene Glycol	5000 lb.		RQ 5000 lb. final RQ RQ 2270 kg final RQ

#### U.S. State Regulations

California Proposition 65:

None

#### U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcium Carbonate	Х	Х	Х		Х
Ethylene Glycol	Х	Х	Х	Х	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number:		Not applicable		
16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X

Revision Date:	27-Oct-2015
Revision Note:	Supersedes 15-Dec-2014.

#### General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.